

Technical Data	Audi Q3 Sportback 35 TDI S tronic (110 kW)
Program for Germany	Status: 09/03/2019
Engine / electrics	
Engine type	Inline 4-cylinder engine
Valve gear / number of valves per cylinder	Roller cam follower, overhead camshafts, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder
Displacement in cc / bore x stroke in mm / compression	1968 / 81.0 x 95.5 / 16.2
Max. power output in kW (PS) / rpm	110 (150) / 3500 - 4000
Max. torque in Nm (<i>lb-ft</i>) / at rpm	340 (250.8) / 1750 - 3000
Mixture preparation	Common rail fuel injection system, intercooler
Exhaust emission control	Oxidizing catalytic converter, diesel particulate filter, exhaust gas recirculation, SCR catalytic converter
Emissions standard	EU6 DG
Start-stop / REM	yes / yes
Battery in A / Ah	420 / 70
Max. electrical output at 12V in kilowatts	1.6
On-board voltage 1 in volts	12
Drivetrain / transmission	
Drive type	Front-wheel drive
Clutch	Two electrohydraulically controlled multi-plate clutches in an oil bath
Transmission type	7-speed S tronic / dual clutch
Transmission ratio in 1st/2nd gear	3.579 / 2.750
Transmission ratio in 3rd/4th gear	1.677 / 0.889
Transmission ratio in 5th/6th gear	0.677 / 0.722
Transmission ratio in 7th/8th gear	0.561 / -
Reverse gear ratio / final drive ratio 1-2	2.900 / 4.813
Suspension / steering / brakes	
Type and design of front-axle suspension	McPherson struts, front
Type and design of rear-axle suspension	Four-link rear suspension
Turning circle (<i>ft</i>)	11.8 (38.7)
Brake control system	Dual-circuit brake system with diagonal split, ESC/ABS/EBD, brake booster, hydraulic brake assist
Tires (basic)	215/65 R 17 99
Wheels (basic)	Steel 6.5J x 17"
Performance / acoustics	
Top speed in km/h (<i>mph</i>)	205 (127.4)
Limited	no
Acceleration, 0-100 km/h (0-62.1 <i>mph</i>)	9.3
Fuel type / octane value	Diesel / -
Fuel standard	DIN EN 590
Exterior noise level when stationary / drive-past as per ECE R51.02 / drive-past as per ECE R51.03 in db (A)	73.6 / - / 68
Consumption / emissions*	
Fuel consumption, urban/extra-urban/combined in liters per 100 kilometers (<i>US mpg</i>)	5.4 (43.6) / 4.6 - 4.3 (51.1 - 54.7) / 4.9 - 4.7 (48.0 - 50.0)
CO ₂ emissions combined in grams per kilometer (<i>g/mi</i>)	129 - 123 (207.6 - 197.9)

Servicing / guarantee (Germany)	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	16 / 21 / 20
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 (years)
Weights / loads	
Unladen weight without driver / with driver / gross weight limit in kg (lb)	1580 (3483.3) / 1655 (3648.7) / -
Gross weight limit min. / max. in kg (lb)	2110 (4651.8) / 2155 (4751.0)
Front/rear axle load limit in kg (lb)	1145 (2524.3) / -
Rear axle load limit min. / max. in kg (lb)	1030 (2270.8) / 1095 (2414.1)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (lb)	2000 (4409.2) / 2000 (4409.2) // 750 (1653.5)
Roof load limit / permissible nose weight in kg (lb)	75 (165.3) / 90 (198.4)
Capacities	
Cooling system capacity (incl. heating) in liters (US gal)	13.1 (3.5)
Engine oil capacity, including filter (change volume) in liters (US qt)	4.7 (5.0)
Fuel tank capacity in liters (US gal)	58 (15.3)
AdBlue fuel tank capacity in liters (US gal)	18 (4.8)
Dimensions / body	
Body type / number of doors / number of seats	- / 5 / 5
Drag coefficient Cd / frontal area A in m ² (sq ft)	0.34 / 2.40 (25.8)
Standard dimensions (length / width excluding mirrors / height with steel springs) in mm (ft)	4500 (14.8) / 1843 (6.0) / 1567 (5.1)
Width including mirrors in mm (ft)	2022 (6.6)
Wheelbase / track width front/rear in mm (ft)	2680 (8.8) // 1584 (5.20) / 1576 (5.17)
Overhang angle of steel springs, front/rear in degrees	19.60 / 16.70
Height of loading edge with steel springs in mm (ft)	790 (2.6)
Largest luggage compartment capacity - behind the 1st seat row in l (cu ft)	1400 (49.4)
Open luggage compartment - behind the 2nd seat row in l (cu ft)	530 (18.7)

* Fuel consumption and CO₂ emission figures given in ranges depend on the tires/wheels used

Technical Data	Audi Q3 Sportback 35 TDI quattro (110 kW)
Program for Germany	Status: 09/06/2019
Engine / electrics	
Engine type	Inline 4-cylinder engine
Valve gear / number of valves per cylinder	Roller cam follower, overhead camshafts, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder
Displacement in cc / bore x stroke in mm / compression	1968 / 81.0 x 95.5 / 16.2
Max. power output in kW (PS) / rpm	110 (150) / 3500 - 4000
Max. torque in Nm (lb-ft) / at rpm	340 (250.8) / 1750 - 3000
Mixture preparation	Common rail fuel injection system, intercooler
Exhaust emission control	Oxidizing catalytic converter, diesel particulate filter, exhaust gas recirculation, SCR catalytic converter
Emissions standard	EU6 DG
Start-stop / REM	yes / yes
Battery in A / Ah	420 / 70
Max. electrical output at 12V in kilowatts	1.7
On-board voltage 1 in volts	12
Drivetrain / transmission	
Drive type	All-wheel drive
Type of rear axle differential	Standard
Clutch	Hydraulically actuated dry clutch, asbestos/lead-free linings, dual-mass flywheel
Transmission type	6-speed manual transmission / manual
Transmission ratio in 1st/2nd gear	3.769 / 2.087
Transmission ratio in 3rd/4th gear	1.324 / 0.977
Transmission ratio in 5th/6th gear	0.975 / 0.814
Reverse gear ratio / final drive ratio 1-2	4.549 / 3.944
Suspension / steering / brakes	
Type and design of front-axle suspension	McPherson struts, front
Type and design of rear-axle suspension	Four-link rear suspension
Steering	Electromechanical progressive steering with speed-dependent power assistance
Turning circle (ft)	11.8 (38.7)
Brake control system	Dual-circuit brake system with diagonal split, ESC/ABS/EBD, brake booster, hydraulic brake assist
Tires (basic)	215/65 R 17 99 V
Wheels (basic)	Cast aluminum 7.0Jx17"
Performance / acoustics	
Top speed in km/h (mph)	203 (126.1)
Limited	no
Acceleration, 0-100 km/h (0-62.1 mph)	9.3
Fuel type / octane value	Diesel / -
Fuel standard	DIN EN 590 (Diesel)
Exterior noise level when stationary / drive-past as per ECE R51.02 / drive-past as per ECE R51.03 in db (A)	72.6 / - / 67

Consumption / emissions*	
Fuel consumption, urban/extra-urban/combined in liters per 100 kilometers (<i>US mpg</i>)	6.6 - 6.5 (35.6 - 36.2) / 5.2 - 4.9 (45.2 - 48.0) / 5.7 - 5.5 (41.3 - 42.8)
CO ₂ emissions combined in grams per kilometer (<i>g/mi</i>)	151 - 144 (243.0)
Servicing / insurance (Germany)	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	16 / 21 / 20
Weights / loads	
Unladen weight without driver / with driver / gross weight limit in kg (<i>lb</i>)	1635 (3604.6) / 1710 (3769.9) / -
Gross weight limit min. / max. in kg (<i>lb</i>)	2180 (4806.1) / 2220 (4894.3)
Front/rear axle load limit in kg (<i>lb</i>)	1150 (2535.3) / -
Rear axle load limit min. / max. in kg (<i>lb</i>)	1080 (2381.0) / 1150 (2535.3)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (<i>lb</i>)	2000 (4409.2) / 2000 (4409.2) // 750 (1653.5)
Roof load limit / permissible nose weight in kg (<i>lb</i>)	75 (165.3) / 90 (198.4)
Capacities	
Cooling system capacity (incl. heating) in liters (<i>US gal</i>)	12.8 (3.4)
Engine oil capacity, including filter (change volume) in liters (<i>US qt</i>)	4.7 (5.0)
Fuel tank capacity in liters (<i>US gal</i>)	60 (15.9)
AdBlue fuel tank capacity in liters (<i>US gal</i>)	18 (4.8)
Dimensions / body	
Body type / number of doors / number of seats	- / 5 / 5
Drag coefficient Cd / frontal area A in m ² (<i>sq ft</i>)	0.34 / 2.40 (25.8)
Standard dimensions (length / width excluding mirrors / height with steel springs) in mm (<i>ft</i>)	4500 (14.8) / 1843 (6.0) / 1567 (5.1)
Width including mirrors in mm (<i>ft</i>)	2022 (6.6)
Wheelbase // track width front/rear in mm (<i>ft</i>)	2680 (8.8) // 1584 (5.20) / 1576 (5.17)
Overhang angle of steel springs, front / rear in degrees	18.80 / 16.20
Height of loading edge with steel springs	790 (2.6)
Largest luggage compartment capacity - behind the 1st seat row in l (<i>cu ft</i>)	1400 (49.4)
Open luggage compartment - behind the 2nd seat row in l (<i>cu ft</i>)	530 (18.7)

* Fuel consumption and CO₂ emission figures given in ranges depend on the tires/wheels used

Technical Data	Audi Q3 Sportback 35 TFSI (110 kW)
Program for Germany	Status: 09/06/2019
Engine / electrics	
Engine type	Inline 4-cylinder engine
Valve gear / number of valves per cylinder	Roller cam follower, overhead camshafts, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder
Displacement in cc / bore x stroke in mm / compression	1498 / 74.5 x 85.9 / 10.5
Max. power output in kW (PS) / rpm	110 (150) / 5000 - 6000
Max. torque in Nm (lb-ft) / at rpm	250 (184.4) / 1500 - 3500
Mixture preparation	Direct injection, lambda control, knock control, turbocharger, intercooler
Exhaust emission control	Catalytic converter, oxygen sensor, gasoline particulate filter
Emissions standard	EU6 DG
Start-stop / REM	yes / yes
Battery in A / Ah	320 / 59
Max. electrical output at 12V in kilowatts	1.7
On-board voltage 1 in volts	12
Drivetrain / transmission	
Drive type	Front-wheel drive
Clutch	Hydraulically actuated dry clutch, asbestos/lead-free linings, dual-mass flywheel
Transmission type	6-speed manual transmission / manual
Transmission ratio in 1st/2nd gear	3.769 / 2.087
Transmission ratio in 3rd/4th gear	1.324 / 0.977
Transmission ratio in 5th/6th gear	0.975 / 0.814
Reverse gear ratio / final drive ratio 1-2	4.549 / 4.563
Suspension / steering / brakes	
Type and design of front-axle suspension	McPherson struts, front
Type and design of rear-axle suspension	Four-link rear suspension
Steering	Electromechanical progressive steering with speed-dependent power assistance
Turning circle (ft)	11.8 (38.7)
Brake control system	Dual-circuit brake system with diagonal split, ESC/ABS/EBD, brake booster, hydraulic brake assist
Tires (basic)	215/65 R 17 99 V
Wheels (basic)	Cast aluminum 7.0Jx17"
Performance / acoustics	
Top speed in km/h (mph)	204 (126.8)
Limited	yes
Acceleration, 0-100 km/h (0-62.1 mph)	9.6
Fuel type / octane value	Gasoline / 95
Fuel standard	DIN EN 228
Exterior noise level when stationary / drive-past as per ECE R51.02 / drive-past as per ECE R51.03 in db (A)	75.9 / - / 68

Consumption / emissions*	
Fuel consumption, urban/extra-urban/combined in liters per 100 kilometers (<i>US mpg</i>)	7.3 - 7.1 (32.2 - 33.1) / 5.2 - 4.9 (45.2 - 48.0) / 6.0 - 5.7 (39.2 - 41.3)
CO ₂ emissions combined in grams per kilometer (<i>g/mi</i>)	137 - 130 (220.5 - 209.2)
Servicing / insurance (Germany)	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	17 / 20 / 19
Weights / loads	
Unladen weight without driver / with driver / gross weight limit in kg (<i>lb</i>)	1460 (3218.7) / 1535 (3384.1) / -
Gross weight limit min. / max. in kg (<i>lb</i>)	2000 (4409.2) / 2045 (4508.5)
Front/rear axle load limit in kg (<i>lb</i>)	1050 (2314.9) / -
Rear axle load limit min. / max. in kg (<i>lb</i>)	1030 (2270.8) / 1080 (2381.0)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (<i>lb</i>)	2000 (4409.2) / 1800 (3968.3) // 750 (1653.5)
Roof load limit / permissible nose weight in kg (<i>lb</i>)	75 (165.3) / 90 (198.4)
Capacities	
Cooling system capacity (incl. heating) in liters (<i>US gal</i>)	11.2 (3.0)
Engine oil capacity, including filter (change volume) in liters (<i>US qt</i>)	4.3 (4.5)
Fuel tank capacity in liters (<i>US gal</i>)	58 (15.3)
Dimensions / body	
Body type / number of doors / number of seats	- / 5 / 5
Drag coefficient Cd / frontal area A in m ² (<i>sq ft</i>)	0.34 / 2.40 (25.8)
Standard dimensions (length / width excluding mirrors / height with steel springs) in mm (<i>ft</i>)	4500 (14.8) / 1843 (6.0) / 1567 (5.1)
Width including mirrors in mm (<i>ft</i>)	2022 (6.6)
Wheelbase // track width front/rear in mm (<i>ft</i>)	2680 (8.8) // 1584 (5.20) / 1576 (5.17)
Overhang angle of steel springs, front / rear in degrees	19.60 / 16.70
Height of loading edge with steel springs in mm (<i>ft</i>)	790 (2.6)
Largest luggage compartment capacity - behind the 1st seat row in l (<i>cu ft</i>)	1400 (49.4)
Open luggage compartment - behind the 2nd seat row in l (<i>cu ft</i>)	530 (18.7)

* Fuel consumption and CO₂ emission figures given in ranges depend on the tires/wheels used

Technical Data	Audi Q3 Sportback 45 TFSI quattro S tronic (169 kW)
Program for Germany	Status: 09/03/2019
Engine / electrics	
Engine type	Inline 4-cylinder engine
Valve gear / number of valves per cylinder	Roller cam follower, continuous intake and exhaust camshaft adjustment, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder
Displacement in cc / bore x stroke in mm / compression	1984 / 82.5 x 92.8 / 9.6
Max. power output in kW (PS) / rpm	169 (230) / 5000 - 6200
Max. torque in Nm (lb-ft) / at rpm	350 (258.1) / 1500 - 4300
Mixture preparation	Direct injection, lambda control, knock control, turbocharger, intercooler
Exhaust emission control	Catalytic converter, oxygen sensor, gasoline particulate filter
Emissions standard	EU6 DG
Start-stop / REM	yes / yes
Battery in A / Ah	320 / 59
Max. electrical output at 12V in kilowatts	1.6
On-board voltage 1 in volts	12
Drivetrain / transmission	
Drive type	All-wheel drive
Type of rear axle differential	Standard
Clutch	Dual clutch
Transmission type	7-speed S tronic / dual clutch
Transmission ratio in 1st/2nd gear	3.563 / 2.526
Transmission ratio in 3rd/4th gear	1.679 / 1.022
Transmission ratio in 5th/6th gear	0.788 / 0.761
Transmission ratio in 7th/8th gear	0.635 / -
Reverse gear ratio / final drive ratio 1-2	2.789 / 4.733
Suspension / steering / brakes	
Type and design of front-axle suspension	McPherson struts, front
Type and design of rear-axle suspension	Four-link rear suspension
Turning circle (ft)	11.8 (38.7)
Brake control system	Dual-circuit brake system with diagonal split, ESC/ABS/EBD, brake booster, hydraulic brake assist
Tires (basic)	215/65 R 17 99
Wheels (basic)	Steel 6.5J x 17"
Performance / acoustics	
Top speed in km/h (mph)	233 (144.8)
Limited	yes
Acceleration, 0-100 km/h (0-62.1 mph)	6.5
Fuel type / octane value	Gasoline / 95
Fuel standard	DIN EN 228
Exterior noise level when stationary / drive-past as per ECE R51.02 / drive-past as per ECE R51.03 in db (A)	77.6 / - / 66
Consumption / emissions*	
Fuel consumption, urban/extra-urban/combined in liters per 100 kilometers (US mpg)	9.7 - 9.5 (24.2 - 24.8) / 6.5 - 6.1 (36.2 - 38.6) / 7.7 - 7.3 (30.5 - 32.2)
CO ₂ emissions combined in grams per kilometer (g/mi)	174 - 166 (280.0 - 267.2)

Servicing / guarantee (Germany)	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	17 / 21 / 22
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 (years)
Weights / loads	
Unladen weight without driver / with driver / gross weight limit in kg (lb)	1625 (3582.5) / 1700 (3747.9) / -
Gross weight limit min. / max. in kg (lb)	2160 (4762.0) / 2210 (4872.2)
Front/rear axle load limit in kg (lb)	1160 (2557.4) / -
Rear axle load limit min. / max. in kg (lb)	1080 (2381.0) / 1135 (2502.2)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (lb)	2100 (4629.7) / 2100 (4629.7) // 750 (1653.5)
Roof load limit / permissible nose weight in kg (lb)	75 (165.3) / 90 (198.4)
Capacities	
Cooling system capacity (incl. heating) in liters (US gal)	9.2 (2.4)
Engine oil capacity, including filter (change volume) in liters (US qt)	6.6 (7.0)
Fuel tank capacity in liters (US gal)	60 (15.9)
AdBlue fuel tank capacity in liters (US gal)	18 (4.8)
Dimensions / body	
Body type / number of doors / number of seats	- / 5 / 5
Drag coefficient Cd / frontal area A in m ² (sq ft)	0.35 / 2.40 (25.8)
Standard dimensions (length / width excluding mirrors / height with steel springs) in mm (ft)	4500 (14.8) / 1843 (6.0) / 1567 (5.1)
Width including mirrors in mm (ft)	2022 (6.6)
Wheelbase / track width front/rear in mm (ft)	2680 (8.8) // 1584 (5.20) / 1576 (5.17)
Overhang angle of steel springs, front/rear in degrees	19.60 / 16.70
Height of loading edge with steel springs	790 (2.6)
Largest luggage compartment capacity - behind the 1st seat row in l (cu ft)	1400 (49.4)
Open luggage compartment - behind the 2nd seat row in l (cu ft)	530 (18.7)

* Fuel consumption and CO₂ emission figures given in ranges depend on the tires/wheels used